



TRADE LADDERS & STEPS

Product
Guide 2013

Tel: 0113 279 9000

www.zigzagaccess.co.uk

In Stock Now

We are a stockist of Ladders that are ideally suited for Trade use. We hold quantities of the most popular size ladders and steps and also some of the more common specialist types. Every item is competitively priced and manufactured to a high standard. In addition to double and triple Aluminium Extension Ladders, we also stock Roof Ladders and 3 Way Combination Ladders, which are all certified to BSEN 131 standard. Our Step Ladders are available as swing-back or platform types, in Aluminium (Class 1 Standard) or Glass Fibre (BSEN 131 Standard). Please see individual sections for more information and available sizes and below for description of standards.

Class 1

Class 1 certification is for products being used in an industrial environment and designed for heavy and regular loading with a permissible load of 175kg.

EN131

EN131 certification is for products being used in a trade environment and designed for general and regular light trade usage with a maximum permissible load of 150kg.

We also stock a select number of specialist ladders and accessories such as telescopic and multi-purpose ladders which are compact and easily transportable. Many other types of ladders and steps can be supplied by us to order.

Free Delivery Service

We provide a free three working day delivery service for purchases within our existing delivery area, which operates within a 60 mile radius. Same or next day deliveries will be charged at our usual transport rates.



Double Extension Ladders (2 Section)				
Section Size	Code	Max Ext. Height	Rungs (Per Section)	Weight
2.5m	ELT225	3.82m	8	9kg
3.0m	ELT230	4.88m	10	10.5kg
3.5m	ELT235	5.94m	12	14kg
4.0m	ELT240	7.03m	14	16kg
4.5m	ELT245	7.81m	15	20.5kg
5.0m	ELT250	8.83m	17	23.5kg

Quality lightweight extension ladders that are ideal for trade use manufactured with the highest grade aluminium with comfortable “D” shaped rungs, secure non-slip rungs and PVC moulded feet, are available with double or triple push-up sections. Ladders are manufactured to a EN131 specification.




Triple Extension Ladders (3 Section)				
Section Size	Code	Max Ext. Height	Rungs (Per Section)	Weight
2.5m	ELT325	5.22m	8	16.5kg
3.0m	ELT330	6.85m	10	18.5kg
3.5m	ELT335	8.46m	12	25.5kg
4.0m	ELT340	10.22m	14	28.5kg

Made in Britain, from high grade aluminium which combines strength and stability creates a trade ladder with a heavy duty ridge hook. Rubber covered bearer bars distribute weight evenly preventing damage to the roof.

Roof Ladders are available as either single section or double sections, which can be extended to a variety of lengths, with the longest model that extends to a maximum of 7.6m and is able to cope with the largest of roof slopes.

Roof Ladders				
Code	Sections	Closed	Max Length	Weight
TRL145	1 (Single)	-	4.5m	11.5kg
TRL155	1 (Single)	-	5.5m	13.5kg
TRL240	2 (Double)	-	6.6m	18.00kg
TRL245	2 (Double)	-	7.6m	20.0kg



Class 1 Aluminium Step Ladders are ideal for industrial use. Standard Swingback and Platform Steps can be supplied with or without safety handrail. Made with a unique strengthening beam incorporated into non-slip treads and rubber feet and aluminium side arms ensure that these steps are safe, strong, lightweight and easy to carry. Swingback Steps have aluminium tops and Platform Steps have a larger aluminium platform step for resting tools etc. It also has an aluminium top.

Aluminium Platform Step Ladder (Class 1)				
Treads	Code	Open Height	Overall Height	Closed Height
4	ESP4	0.79m	1.43m	1.60m
6	ESP6	1.23m	1.87m	2.08m
8	ESP8	1.67m	2.32m	2.56m
10	ESP10	2.12m	2.73m	3.01m
12	ESP12	2.58m	3.19m	3.51m

Safety Handrail can be fitted to all Aluminium Step Ladders

Glass Fibre Platform Step Ladder (EN131)				
Treads	Code	Open Height	Overall Height	Closed Height
6	GFBP6	1.26m	1.89m	2.04m
8	GFBP8	1.69m	2.31m	2.51m
10	GFBP10	2.11m	2.73m	3.00m



Platform Step Ladder with fitted Handrail



Swingback Step Ladder




Glass Fibre Swing-back and Platform Steps certified to BSEN 131, are non-conductive and essential when electrical hazards exist. Rigid box section sides and back legs with aluminium non-slip treads and rubber feet, provide a safe a lightweight step ladder. Plastic tops (tool trays) are fitted to the swing-back and platform models. Platform models can be supplied with safety handrail.

Glass Fibre Swing Back Step Ladder (EN131)			
Treads	Code	Open Height	Closed Height
6	GFBB6	1.22m	1.34m
8	GFBB8	1.70m	1.81m
10	GFBB10	2.11m	2.29m

Glass Fibre Platform Step Ladder (EN131)				
Treads	Code	Open Height	Overall Height	Closed Height
6	GFBP6	1.26m	1.89m	2.04m
8	GFBP8	1.69m	2.31m	2.51m
10	GFBP10	2.11m	2.73m	3.00m

Combination Ladders

Combination Ladders are a Step Ladder and Extension Ladder, all in one product which is suitable for a wide variety of uses. A Unique sliding mechanism easily converts the ladder between applications. A wide base with heavy duty feet c/w stabilising bar provide added stability and are ideal for light trade use. We also stock a glass fibre 2.0m version.




Combination Aluminium Ladders (3 Way)				
Section Size	Code	Max Step Height	Max Ladder Height	Weight
2.0m	CL7	2.95m	4.2m	10.5kg
2.5m	CL9	4.00m	5.9m	15.1kg
3.0m	CL11	4.77m	7.32m	19.0kg
3.5m	CL12	5.59m	8.44m	23.0kg

Glass Fibre Combination Ladders				
Section Size	Code	Max Step Height	Max Ladder Height	Weight
2.0m	GFCL7	2.92m	4.12m	10.4kg

Standard Combination Ladder

Multi-Functional Combination Ladder

A Multi-Functional Combination Ladder has the added benefit of being a double sided Step Ladder and an extendable Step Ladder that can be used on stairs.



A more heavy duty Skymaster Combination Ladder is also available and is better suited for more industrial use and has a rigid aluminium locking bar for maximum safety.


Multi-Functional Combination Ladder				
Section Size	Code	Max Step Height	Max Ladder Height	Weight
2.0m	LCL6	2.8m	4.1m	10.5kg
2.5m	LCL9	4.1m	6.1m	20.3kg

Skymaster				
Section Size	Code	Max Step Height	Max Ladder Height	Weight
2.7m	41099	4.7m	6.7m	20kg

There are a variety of Specialist Ladders available, including a compact **telescopic ladder** (0.84m) that is ideal for occasional use such as surveying and can be easily transported, in most cars. There is also a **telescopic step** that can be safely used on staircases and also can be used as an extension ladder.

Multi-purpose ladders are also compact but have the advantage of having a click-lock hinge system that creates a wide range of uses and are available in two sizes 4 x 3 rung and 4 x 4 rung, with the smaller size able to be used in a trestle position. There is also a Glass fibre version in the 4 x 3 rung size. All models have stabilising bars fitted. **Loft Ladders** are available as double or triple extensions. Please contact us for specific dimensions.

Specialist ladders				
Description	Code	Step Height	Ladder Height	Platform
Multi-Purpose Ladder	MPL4x3	1.75m	3.56m	0.92
Multi-Purpose Ladder	MPL4x4	2.27m	4.68m	N/A
Multi-Purpose Ladder (GF)	GFMP4x3	1.75m	3.56m	N/A
Telescopic Step Ladder	TLS4x3	1.0m - 1.6m	2.0m - 3.2m	N/A
Telescopic Step Ladder	TLS4x4	1.3m - 2.1m	2.6m - 4.4m	N/A
Telemaster Ext Ladder	100600	N/A	3.8m	N/A



Multi-Purpose Ladder

Loft Ladders



Telescopic Step Ladder

Telemaster


Ladder Accessories

Include Universal **Ladder Clamps** are designed to lock ladders safely onto roof racks. A range of other accessories are available on request such as Ladder Stays, Ladder Stoppers and Suction & Articulated feet. Further information available on request.





174A Gelderd Rd, Leeds LS12 6LZ
 Tel: 0113 279 9000
 Fax: 0113 279 9005



Tel: **0113 279 9000**
 info@zigzagaccess.co.uk
 www.zigzagaccess.co.uk

